Kamco Limited Material Safety Data Sheet

Scalebreaker SR

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Scalebreaker SR sulphamic acid blend

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Intended use: descaling

1.3 Details of the supplier of the SDS

Unit 9, Curo Park

Frogmore

Kamco Ltd

St Albans, Herts. AL2 2DD.

SDS compiler: info@kamco.co.uk

1.4 Emergency telephone number:

01727 875020 (Monday - Friday 9.00 - 17.00 hrs GMT)

SDS Issue 1: 13/08/2015

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or

mixture

Classification to CLP ((EC) No 1272/2008):

Skin Irrit.2; H315 Eye Irrit. 2; H319

see section 16 for full text of H-and R-

phrases

Classification to DPD (1999/45/EC) and CHIP:

Irritant Xi;R36/38

2.2 Labell elements Labelling in accordance with CLP ((EC) No 1272/2008)



Note: only the text is required on the label (not the statement codes)

H315 Causes skin irritation

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

P264 Wash hands thoroughly after handling *P273* Avoid release to the environment

P280 Wear protective gloves/ protective clothing/eye protection/ face protection

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do so. Continue rinsing. *P501* Dispose of contents/container to: An approved recycle or waste disposal

facility.

P102 Keep out of reach of children

EUH210 Safety data sheet available on request.

Contains Thiourea

2.3 Other hazards No other information is available.

SDS Scalebreaker SR Page 1 of 6 Issue 1: 13/08/2015

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS						
3.2 Mixtures						
Hazardous	Name	EC No.	CAS No.	DSD	CLP	%
Ingredients:				Classification	Classification	
see section 16 for full	Sulphamic acid	226-218-8	5329-14-6	Xi; R36/38	Skin Irrit. 2; H315	99+
text of classification phrases				R52/53	Eye Irrit. 2; H319	
	REACH reg. no				Aqu. Chron. 3: H412	
,	01-2119488633-28-					
	Thiourea	200-543-5	62-56-6	Xn; R22, R40,	Acute Tox. 4; H302	< 0.2
				R63	Carc. 2; H351	
	REACH reg. no.			N; R51/53	Repr. 2; H361d	
	01-2119977062-37-				Aqu. Chron.2; H411	

SECTION 4 FIRST AID MEASI	JRES
4.1 Description of first aid measures	Skin contact: In case of contact, wash immediately with soap and plenty of water.
	Eye contact: In case of contact, rinse immediately with plenty of water, also
	under the eyelids, for at least 5 minutes. Consult an eye specialist
	immediately. Go to an ophthalmic hospital if possible.
	Ingestion: Clean mouth with water and drink afterwards plenty of water.
	Never give anything by mouth to an unconscious person. If symptoms
	persist, call a physician.
	Inhalation: Remove to fresh air.
4.2 Most important symptoms and effects,	Skin contact: Irritation or pain may occur at the site of contact. There may be
both acute and delayed	redness or whiteness of the skin in the area of exposure. Repeated or long
	exposure can cause reddening, burning and blisters.
	Eye contact: There may be irritation and redness. There may be severe
	pain. Corneal burns may occur. Repeated exposure may cause chronic eye
	irritation. May cause mechanical irritation to the eyes.
	Ingestion: There may be soreness and redness of the mouth and throat.
	May cause irritation of the gastrointestinal tract. Nausea and stomach pain
	may occur. There may be vomiting and diarrhoea.
	Inhalation: High concentrations are irritant to the respiratory tract. May cause
	irritation of the mucous membranes and respiratory system. May cause
	shortness of breath, sneezing and coughing. Prolonged or repeated exposure
	may cause ulceration and perforation of the nasal septum.
4.3 Indication of immediate medical	Treat symptomatically.
attention and special treatment needed, if	Eye bath should be available on the premises
necessary	

SECTION 5 FIREFIGHTING MEASURES		
5.1 Extinguishing media	Water spray. Carbon dioxide. Alcohol or polymer foam. Dry chemical	
	powder. Use water spray to cool containers	
5.2 Specific hazards arising from the	In combustion emits toxic fumes of sulphur oxides. In combustion emits	
substance or mixture	toxic fumes of nitrogen oxides. May liberate Ammonia vapours during	
	combustion. Keep containers exposed to fire cool with water spray.	
5.3 Advice for fire-fighters	Wear self-contained breathing apparatus. Wear protective clothing to	
	prevent contact with skin and eyes.	

SECTION 6 ACCIDENTAL	RELEASE MEASURES
6.1 Personal precautions, protective equipment and emergency procedures Select appropriate protective clothing for the size of the spillage. Avoid contact with skin and eyes.	
6.2 Environmental precautions	Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for containment and cleaning up	Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.
6.4 Reference to other sections	Personal protective equipment: See section 8

SECTION 7 HANDLING A	ND STORAGE
7.1 Precautions for safe handling	Wear suitable protective clothing. Ensure there is sufficient ventilation of the
	area. Avoid the formation or spread of dust in the air. Avoid contact with the
	material and breathing its dust. Prevent contact with water.
7.2 Conditions for safe storage,	Keep container tightly closed. Keep container in a cool, well-ventilated area.
including any incompatibilities	Keep only in the original container. Keep away from heat.
7.3 Specific end use(s)	Descaling

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION		
8.1 Control parameters Workplace Exposure Limits LTEL 8hr: 4 mg/m3 (respirable dust)		
	DNEL (oral/dermal): 5 mg/kgbw/day	
8.2 Exposure controls	Refer to protective measures listed in sections 7 and 8.	
	Dust respirator - be sure to use an approved/certified respirator or equivalent.	
	Wear appropriate respirator when ventilation is inadequate.	
	Wear acid-resistant gloves and replace at first signs of wear.	
	Eye protection: Tightly fitting safety goggles	
	Skin and body protection: overalls	
	Environmental exposure controls: Do not flush into surface water or sanitary	
	sewer system. Avoid subsoil penetration.	
	If the product contaminates rivers and lakes or drains, inform respective	
	authorities. If material reaches soil inform authorities responsible for such	
	cases.	

SECTION 9	PHYSICAL AND CHEMICAL I	PROPERTIES
9.1 Information or	n basic physical and chemical properties –	does not constitute a specification
	Appearance	Pink / orange crystalline powder
	Odour	odourless
	Odour threshold	no data available
	pH (aqueous solution)	Acidic
	Melting Point/Freezing point (°C)	205 C (decomposition)
	Initial boiling point/boiling range (°C)	no data
	Flash Point (°C)(closed cup)	not applicable (non-flammable)
	Evaporation rate	no data available
	Flammability	not applicable (non-flammable)
	Upper/lower flammability limits	not applicable (non-flammable)
	Vapour pressure (mbar @ 20°C)	~0.78 Pa
	Vapour density	No data
	Relative Density (@15.5°C)	2.1 kg/l
	Solubility in water	Soluble
	Solubility in fat / solvent	not miscible
	Partition coefficient (log Pow)	No data
	Autoignition temperature (°C)	not applicable (non-flammable)
	Decomposition temperature	no data available
	Viscosity (mPa.s @ 20°C)	not applicable
	Explosive properties	No data
	Oxidising properties	Not oxidising
9.2 Other informa	ation	None

SDS Scalebreaker SR Page 4 of 6 Issue 1: 13/08/2015

SECTION 10 STABILITY AND REACTIVITY		
10.1 Reactivity	No information available	
10.2 Chemical stability	No decomposition if stored and applied as directed.	
10.3 Possibility of hazardous reactions	None reasonably foreseeable.	
10.4 Conditions to avoid	Avoid high temperatures (>50 °C) and high humidity	
10.5 Incompatible materials	Sulphuric acid. Hydrochloric acid Bases. Strong oxidising agents. Amines. Chlorine. Ammonia & ammonia solutions	
10.6 Hazardous decomposition products	In combustion emits toxic fumes of sulphur oxides, nitrogen oxides. May release ammonia fumes.	

SECTION 11	TOXICOLOGICAL	INFORMATION
11.1 Information on	toxicological effects	
Acute To	xicity	
	-oral	Acute oral toxicity: LD50: 316 mg/kg [Rat].
	-inhalation	no information
	-dermal	no information
Corrosivi	ty/Irritation	
	-eye	Irritating to eyes
	-skin	Irritation to skin
Sensitisa	tion -skin	no sensitising effects known
Ames tes	et	not mutagenic
Other rel	evant toxicity information	Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 ECOLOGICAL INFORM	ATION
12.1 Toxicity	Fish LC50 96h.: 70 mg/l. (Pimephales promelas)
	Fish EC50 72h.: 48 mg/l (Desmodesmus subspicatus)
	Daphnia EC50 24h.: 72 mg/l (daphnia)
12.2 Persistence and degradability	Slowly biodegradable
12.3 Bioaccumulative potential	No information available
12.4 Mobility in soil	No information available. Soluble in water.
12.5 Results of PBT and vPvB assessment	No known PBT or vPvB chemicals present
12.6 Other adverse effects	Harmful to aquatic organisms. May cause long-term
	adverse effects in the aquatic environment
	Avoid subsoil penetration
	Do not flush into surface water or sanitary sewer system.

SECTION 13	DISPOSAL C	CONSIDERATIONS
13.1 Waste treatme	ent methods	
	Waste Residue:	Disposal together with normal waste is not allowed. Special disposal required
		according to local regulations. Do not let product enter drains. Contact waste disposal services.
		European Waste Code: No European Waste Code assigned for this product. The waste code is established in consultation with the regional waste disposer.
	Packaging:	Contaminated packaging: Empty contaminated packagings thoroughly. They can
		be recycled after thorough and proper cleaning. Packagings that cannot be
		cleaned are to be disposed of in the same manner as the product

SECTION 14 TRANSPORT INF	ORMATION
Not classified as non dangerous goods (C	CDG/ADR/IMDG/ICAO/IATA)
14.1 UN Number	UN2967
14.2 UN Proper shipping name	SULPHAMIC ACID
14.3 Transport hazard class(es)	8
14.4 Packing group	
14.5 Environmental hazards	Not EHS/MP
14.6 Special precautions for user	See sections 8 and 9
14.7 Transport in bulk according to	Not applicable
Annex II of MARPOL 73/78 and the IBC	
Code	

SECTION 15 REGULATORY INFORMATION	
15.1 Safety, health and environmental	Supply regulations: Classified as hazardous under
regulations/legislation specific for the substance or mixture	DSD/GHS/CLP (DSD: Dangerous Substances Directive;
	GHS: Globally Harmonised system of classification and
	labelling of chemicals; CLP: Classification, Labelling and
	Packaging regulations)
	Transport regulations: Classified as Dangerous Goods for
	Carriage under ADR/RID/IMDG/ICAO/IATA
15.2 Chemical Safety Assessment	No formal chemical safety assessment has been carried out

SECTION 16 OTHER INFORMATION

Full text of classification data in sections 2 and 3:

H315	Causes skin irritation.
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects
H302	Harmful if swallowed
H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child.
R36/38	Irritating to eyes and skin
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
R22	Harmful if swallowed
R40	Limited evidence of a carcinogenic effect
R63	Possible risk of harm to the unborn child
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements

and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text